

Endocrine Complete™ A Hormone Specific™ Multi-Nutrient

DESCRIPTION

Endocrine Complete™ is a comprehensive combination of vitamins, minerals, nutrients and phytotherapeutic compounds specifically formulated to provide support of endogenous hormone production by the endocrine system.†

Endocrine Complete™ includes a wide variety of herbs that act as hormonogenic agents, a subclass of phytocrine™ activities that maintain endocrine gland health, first defined by Joseph J Collins, RN, ND in 2005. As a Hormone Specific™ Multi-Nutrient, this formulation can be used as a foundation of hormone health with any of the Hormone Specific™ Formulations manufactured by Douglas Labs, and formulated by Dr. Collins.

FUNCTIONS

Vitamins and minerals are used as cofactors for the various enzymes throughout the body that affect the health of every tissue. Proper levels of vitamins and minerals are required for both the production of hormones, and the ability of tissues to respond to hormones.† Studies show that a high percentage of adults in North America and other developed areas eat less than the minimum daily allowance of 10 or more essential nutrients.

In addition to inadequate dietary intake of endocrine essential nutrients, the function of nutrients may be limited because of genetic variations that limit the conversion of the nutrient to its activated form. These genetic limitations are recognized as single nucleotide polymorphisms (SNPs). Specific SNPs are known to affect the conversion of beta-carotene to vitamin A. The conversion of folate to its active form L-methylfolate is also limited due to SNPs. Activated vitamin B-6, as well as the methylated form of vitamin B-12 is also required for optimal endocrine health.† In addition to the general benefits of vitamins, mineral and other nutrients, there are a number of very hormone specific benefits from each. For example, folate, best used as L-methylfolate, the most active form, is required for proper health of gonadal and adrenal tissue.† Vitamin B-12, as methylcobalamin, is required to maintain adequate levels of estrogen and progesterone and modulate cortisol levels.† Riboflavin and thiamine are required for proper metabolism of thyroid hormones as well as the adrenal gland hormones.† Benfotiamine, a lipid soluble form of thiamine, supports insulin synthesis and healthy glucose metabolism.† Vitamin K benefits go beyond bone health, as vitamin K helps to control the insulin response.†

Endocrine Complete™ Phytocrine™ Blend

Adrenocorticotrophic hormone (ACTH) from the anterior pituitary gland preserves adrenal weight and function. *Bupleurum falcatum*, which contributes to the release of ACTH from the pituitary gland, results in healthy adrenal function and the ability of the adrenal glands to respond to stress.† *Rehmannia glutinosa* also has adrenotrophic properties and helps the body respond to stress.† *Panax ginseng* supports adaptation abilities by maintaining baseline levels of ACTH, and also by modulating excessive stress induced ACTH production.† *Rhodiola rosea* helps to decrease the stress-induced negative changes of ACTH and cortisol levels.† The gonadotrophic hormones from the anterior pituitary gland include Luteinizing hormone (LH) and Follicle-Stimulating Hormone (FSH). These hormones support function of testes and ovaries. LH promotes sex hormone production, and FSH promotes oogenesis and spermatogenesis. *Withania somnifera* supports healthy serum levels of LH, and subsequently serum testosterone in human studies.† *Panax ginseng* supports both healthy FSH and LH levels in human studies.† *Rhodiola rosea* contains salidroside, which has a protective effect on the function of LH in the hypothalamic-pituitary-gonadal axis and can help maintain testosterone production.†

Thyrotrophic cells in the anterior pituitary gland produce Thyroid-Stimulating Hormone (TSH), which preserves thyroid gland weight and function, and promotes the release of thyroid hormones. Thyroid hormones are produced by the thyroid gland under the influence of TSH. Forskolin, an active ingredient in *Coleus forskohlii* helps with T3 & T4 secretion from thyrocytes in a fashion similar to TSH, including organification of iodine though independent from TSH.† *Withania somnifera* also supports normal thyroid hormone production.†

Endocrine Complete™
A Hormone Specific™ Multi-Nutrient

Rhodiola rosea was shown to help normalize the stress-induced negative changes of thyroxine and triiodothyronine concentrations.†
 Pancreatic beta-cells produce insulin based on the needs of the body. *Gymnema sylvestre* is beneficial for supporting healthy beta-cell function.† *Panax ginseng* and *Withania somnifera* have the ability to maintain healthy blood glucose levels and support pancreatic beta-cells.† *Rehmannia glutinosa* can support the insulin response by helping promote glucose utilization and balancing cortisol levels.†

INDICATIONS

Endocrine Complete™ may be a useful dietary supplement for those who wish to consume the essential nutrients plus herbs for hormone health and endocrine system support.†

FORMULA (#202133-120X)

Serving Size 4 Vegetarian Capsules:

- Vitamin A (as 80% beta carotene/.....5,000 IU
 20% Vitamin A Palmitate)
- Vitamin C (as Ascorbic Acid).....500 mg
- Vitamin D-3 (as Cholecalciferol).....1,000 IU
- Vitamin E100 IU
 (as d-alpha tocopheryl succinate plus mixed tocopherols)
- Vitamin K-2 (as Menaquinone-7)..... 40 mcg
- Thiamine (as Thiamine HCl)..... 25 mg
- Riboflavin (as Riboflavin-5-phosphate).....10 mg
- Niacin/Niacinamide30 mg
- Vitamin B-6 (as Pyridoxal-5-phosphate)..... 20 mg
- Folate (as L-Methylfolate, Metafolin®)..... 400 mcg
- Vitamin B-12 (as Methylcobalamin)..... 250 mcg
- Biotin300 mcg
- Pantothenic Acid.....25 mg
 (as Calcium Pantothenate)
- Calcium (as Calcium Citrate Malate)..... 50 mg
- Iodine (from Kelp).....150 mcg
- Magnesium (as Magnesium Citrate).....50 mg
- Zinc (as Zinc Monomethionine, Opti-Zinc®)..15 mg
- Selenium (as L-Selenomethionine).....100 mcg
- Copper..... 0.25 mg
 (as Copper Amino Acid Chelate)
- Manganese..... 2 mg
 (as Manganese Amino Acid Chelate)
- Chromium.....120 mcg
 (as Chromium Amino Acid Chelate)
- Molybdenum.....100 mcg
 (as Molybdenum Amino Acid Chelate)
- Inositol25 mg
- Boron (as Boron Citrate)2 mg
- Benfotiamine25 mg
- Endocrine Complete™**
- A Phytocrine™ Proprietary Blend**.....500 mg
Bupleurum falcatum root Extract, *Rehmannia glutinosa* root Extract, *Rhodiola rosea* root Extract (standardized to 3% rosavins), Ashwagandha root

Endocrine Complete™ A Hormone Specific™ Multi-Nutrient

and leaf Extract (*Withania somnifera*, standardized to a minimum of 10% withanolide glycoside conjugates and 32% oligosaccharides), *Coleus forskohlii* Extract (root, standardized to 10% forskolin), *Gymnema sylvestre* Extract (leaf, standardized to 25% gymnemic acids), *Panax ginseng* Extract (root, standardized to 3% ginsenosides).

Other ingredients: Hydroxypropyl methylcellulose (capsule), cellulose and silica.

SUGGESTED USE

Adults take 4 capsules daily with food, or as directed by a healthcare professional. This product is best taken in the AM or Noon.

Warning: This product contains Vitamin K, which interferes with the prescription drug Coumadin (Warfarin). Consult your physician before taking this product. If pregnant, nursing, or taking prescription medications, consult your healthcare practitioner before taking this product.

SIDE EFFECTS

No adverse effects have been reported.

STORAGE

Store in a cool, dry place, away from direct light. Keep out of reach of children.

REFERENCES

- Rossier M, et al. Endocrine Research [serial online]. November 1996;22(4):579-588. [Calcium].
- Mgongo F, Gombe S, Ogaa J. Beiträge Zur Tropischen Landwirtschaft Und Veterinärmedizin [serial online]. 1985;23(2):207-216. [Methylcobalamin].
- Mgongo F, Gombe S, Ogaa J. Reproduction, Nutrition, Development [serial online]. 1984;24(6):845-854. [Methylcobalamin].
- Stahl S. The Journal Of Clinical Psychiatry [serial online]. September 2008;69(9):1352-1353. [L-methylfolate].
- Malm J, Birn H, Frohm B, Hansen S, Høier-Madsen M, Holm J. International Journal Of Andrology [serial online]. October 2005;28(5):267-274. [L-methylfolate].
- Oxenkrug G. Molecular Neurobiology [serial online]. October 2013;48(2):294-301. [Vitamin B-6].
- Hustad S, Nedrebø B, Lien E, et al. The American Journal Of Clinical Nutrition [serial online]. October 2004;80(4):1050-1057. [Riboflavin].
- Strumilo S, Senkevich S, Galitskiĭ E, Vinogradov V Biulleten' Eksperimental'noi Biologii I Meditsiny [serial online]. November 1983;96(11):42-44. [Thiamine].
- Oh SH, et al. Stem Cells Dev. 2009 Jan-Feb;18(1):37-46. [Benfotiamine].
- Beltramo E, Berrone E, Tarallo S, Porta M. Acta Diabetol. 2008 Sep;45(3):131-41. [Thiamine and

Endocrine Complete™ A Hormone Specific™ Multi-Nutrient

benfotiamine].

Sakamoto N, Nishiike T, Iguchi H, Sakamoto K. *Diabetes Nutr Metab.* 1999 Feb;12(1):37-41. [Vitamin K].

Yoshida M, et al. *Diabetes Care.* 2008 Nov;31(11):2092-6. doi: 10.2337/dc08-1204. [Vitamin K].

Choi HJ, et al. *Diabetes Care.* 2011 Sep;34(9):e147. doi: 10.2337/dc11-0551. [Vitamin K].

Shanmugasundaram ER, et al. *J Ethnopharmacol.* 1990 Oct;30(3):265-79. [*Gymnema sylvestre*].

Baskaran K, et al. *J Ethnopharmacol.* 1990 Oct;30(3):295-300. [*Gymnema sylvestre*].

Cheng JT, Tsai CL. *Biochem Pharmacol.* 1986 Aug 1;35(15):2483-7. [*Bupleurum falcatum*].

Filaretov AA, Bogdanova TS, Podvigina TT, Bodganov AI. *Exp Clin Endocrinol.* 1988 Dec;92(2):129-36.

Hiai S, Yokoyama H, Oura H, Yano S. *Endocrinol Jpn.* 1979 Dec;26(6):661-5. [*Panax ginseng*].

Kim DH, et al. *Neurosci Lett.* 2003 May 29;343(1):62-6. [*Panax ginseng*].

Kim HY, Kim K. *J Agric Food Chem.* 2007 Apr 18;55(8):2816-23. Epub 2007 Mar 24. [*Panax ginseng*].

Lishmanov IuB, et al. *Biull Eksp Biol Med.* 1987 Apr;103(4):422-4.

Ahmad MK, et al. *Fertil Steril.* 2010 Aug;94(3):989-96. doi: 10.1016/j.fertnstert.2009.04.046. [*Withania somnifera*].

Salvati G, et al. *Panminerva Med.* 1996 Dec;38(4):249-54. [*Panax ginseng*].

Wang Q, et al. *Zhonghua Nan Ke Xue.* 2009 Apr;15(4):331-6.

van Sande J, Cochaux P, Dumont JE. *FEBS Lett.* 1982 Dec 13;150(1):137-41. [*Forskolin*].

Laurberg P. *FEBS Lett.* 1984 May 21;170(2):273-6. [*Forskolin*].

Panda S, Kar A. *J Ethnopharmacol.* 1999 Nov 1;67(2):233-9. [*Withania somnifera*].

Panda S, Kar A. *J Pharm Pharmacol.* 1998 Sep;50(9):1065-8. [*Ashwagandha*].

Lin E, et al. *Am J Chin Med.* 2008;36(5):981-8. [*American ginseng*].

Andallu B, Radhika B. *Indian J Exp Biol.* 2000 Jun;38(6):607-9. [*Withania somnifera*].

Shukla K, Dikshit P, Shukla R, Gambhir JK. *J Med Food.* 2012 Aug;15(8):718-25. doi: 10.1089/jmf.2011.1829. [*Withania*].

Anwer T, Sharma M, Pillai KK, Khan G. *Acta Pol Pharm.* 2012 Nov-Dec;69(6):1095-101. [*Withania somnifera*].

SoRelle JA, et al. *Diabetologia.* 2013 Apr;56(4):814-24. doi: 10.1007/s00125-012-2813-9. [*Withania somnifera*].

Endocrine Complete™ **A Hormone Specific™ Multi-Nutrient**

Lv XF, Meng QY, Guo XM. Zhongguo Zhong Yao Za Zhi. 2007 Oct;32(20):2182-4. [Rehmannia glutinosa].

Zhang R, Zhou J, Jia Z, Zhang Y, Gu G. J Ethnopharmacol. 2004 Jan;90(1):39-43. [Rehmannia glutinosa].

Zhang R, et al. Phytomedicine. 2014 Apr 15;21(5):607-14. [Rehmannia glutinosa].

Huang WJ, et al. J Nat Prod. 2010 Jun 25;73(6):1170-2. doi: 10.1021/np9008317. [Rehmannia glutinosa].

For more information on Endocrine Complete™ visit douglaslabs.com

† These statements have not been evaluated by the Food and Drug Administration.
This product is not intended to diagnose, treat, cure, or prevent any disease.

Manufactured by
Douglas Laboratories
600 Boyce Road
Pittsburgh, PA 15205
800-245-4440
douglaslabs.com



**You trust Douglas Laboratories.
Your patients trust you.**

© 2015 Douglas Laboratories. All Rights Reserved