C.F.S. Support Formula Support for Individuals affected by fatigue

DESCRIPTION

C.F.S. Support Formula™ provided by Douglas Laboratories, is a synergistic and comprehensive combination of vitamins, minerals, herbals, and other nutrients, carefully formulated and specifically designed to support and boost the function of the body's defenses against the stresses imposed by fatigue.

FUNCTIONS

Studies show that a high percentage of adults in North America and other developed countries eat less than the minimum daily allowance of 10 or more essential nutrients. Adequate amounts and proper balance of these nutrients are needed not only for maintaining good health, but also for the dietary management of the body's structure as well as the optimum functioning of its various systems, including the hormonal and neuromuscular systems. The C.F.S. Support Formula™ has been carefully developed to contain the right proportions of vitamins, minerals, trace elements, and other nutrients without danger of toxic build-up or other side effects. Each ingredient is selected in consideration of its absorbability, competitive relationship with other nutrients, allergenic potential, and long-term safety. Certain nutrients such as beta-carotene, vitamin C, vitamin E and Bcomplex vitamins are included in high-potency amounts because of the vital roles they play in antioxidant protection, energy production and the maintenance of healthy blood cells, the nervous system, hormonal balance, and more. Minerals and trace elements are provided in their safest and most bioavailable forms. C.F.S. Support Formula™ contains not only the base formula of Douglas Laboratories' Ultra-Specific Nutrition 2000 Series[™] that offers intensive support for the healthy functioning of the body in general, but also a blend of herbs and additional nutrients specifically formulated to offer additional fortification of the body's defenses against the stresses imposed by fatigue.

Research suggests that immune enhancing herbs, such as Echinacea, Shiitake mushroom, and Astragalus, as well as those that support adrenal function, such as licorice, may support the body's immune function that can often be compromised when fatigued. Chamomile may help to reduce the mental stress experienced during periods of decreased immune function.

INDICATIONS

C.F.S. Support Formula™ tablets may be a useful dietary supplement for those who wish to boost their body's defenses against the stresses imposed by fatigue.

FORMULA (#4546)

4 Tablets Contain Vitamin A (17% as Vitamin A	30 000 111
Palmitate/83% [25,000 IU]	30,000 10
as Beta-Carotene)	
Vitamin C (Ascorbic Acid)	1000 mg
Vitamin D-3	50 IŪ
Vitamin E (as Vitamin E Succinate)	
Thiamine (as Thiamine HCI)	50 mg
Riboflavin	
Niacin/Niacinamide	120 mg
Vitamin B-6 (as Pyridoxine HCI/	25 mg
Pyridoxal-5-Phosphate Complex)	
Folic Acid	800 mcg
Vitamin B-12 (on Ion Exchange Resin)	100 mcg
Biotin	300 mcg
Pantothenic Acid	150 mg
(as d-Calcium Pantothenate)	

C.F.S. Support Formula

Support for Individuals affected by fatigue

Coloium (from Coloium	
Calcium (from Calcium	g
Citrate/Ascorbate Complex)	
Magnesium (from Magnesium	g
Aspartate/Ascorbate Complex)	
Zinc (from Zinc Aspartate Complex)	
Selenium (Organic Selenium from	g
Krebs† Cycle and Kelp)	
Copper (from Copper Amino	g
Acid Chelate)	
Manganese (from Manganese15 m	g
Aspartate Complex)	
Chromium (Organically bound with200 mc	;g
GTF activity-low allergenicity)	
Molybdenum50 mc	g
(from Molybdenum Krebs†)	
Potassium (from Potassium75 m	g
Aspartate Complex)	
Choline (from Choline Citrate/Bitartrate)20 m	g
Inositol	g
Citrus Bioflavonoid Complex	
PABA (para-Aminobenzoic Acid)50 m	
Vanadium (from Vanadium Krebs†)25 mc	
Boron (from Boron	q
Aspartate/Citrate Complex)	0
Trace Elements (from Sea Vegetation)	a
C.F.S. Support Proprietary Blend	
Golden Seal (root), Echinacea	J
angustifolia (root). Echinacea purpurea (root). Shiitake mushroom (mycelium) (Lentinu	19

angustifolia (root), Echinacea purpurea (root), Shiitake mushroom (mycelium) (Lentinus edodes), Chamomile (flower) (German), Burdock (root) (Arctium lappa), Licorice (root) (Glycyrrhiza glabra), Betaine HCI, Ligusticum porteri (root), Radix astragalus (root), Lomatium dissectum (root), Malic Acid, Magnesium Hydroxide, Raw Adrenal Concentrate (bovine), Raw Thymus Concentrate (bovine), N-Acetyl-L-Cysteine/L-Cysteine HCl, L-Methionine, and Glutamic Acid HCl

SUGGESTED USE

Adults take 4 Tablets daily with meals or as directed by physician.

SIDE EFFECTS

No adverse side effects have been reported.

STORAGE

Store in a cool, dry place, away from direct light. Keep out of reach of children.

C.F.S. Support Formula Support for Individuals affected by fatigue

REFERENCES

Heim C, Ehlert U, Hellhammer DH. The potential role of hypocortisolism in the pathophysiology of stress- related bodily disorders. Psychoneuroendocrinology 2000;25:1-35.

Jeffcoate WJ. Chronic fatigue syndrome and functional hypoadrenia--fighting vainly the old ennui [see comments]. Lancet 1999;353:424-5.

Johnson SK, DeLuca J, Natelson BH. Chronic fatigue syndrome: reviewing the research findings. Ann Behav Med 1999;21:258-71.

Quintner JL, Cohen ML. Fibromyalgia falls foul of a fallacy. Lancet 1999;353:1092-4. Reid S, Chalder T, Cleare A, et al. Chronic fatigue syndrome. Bmj 2000;320:292-6. See DM, Broumand N, Sahl L, et al. In vitro effects of echinacea and ginseng on natural killer and antibody-dependent cell cytotoxicity in healthy subjects and chronic fatigue syndrome or acquired immunodeficiency syndrome patients. Immunopharmacology 1997;35:229-35.

Werbach MR. Nutritional strategies for treating chronic fatigue syndrome. Altern Med Rev 2000;5:93-108.

Wessely S, Hotopf M. Is fibromyalgia a distinct clinical entity? Historical and epidemiological evidence. Baillieres Best Pract Res Clin Rheumatol 1999;13:427-36.

White KP, Speechley M, Harth M, et al. Co-existence of chronic fatigue syndrome with fibromyalgia syndrome in the general population. A controlled study. Scand J Rheumatol 2000;29:44-51.

Wilke WS, Fouad-Tarazi FM, Cash JM, et al. The connection between chronic fatigue syndrome and neurally mediated hypotension. Cleve Clin J Med 1998;65:261-6.

For more information on C.F.S. Support visit douglaslabs.com

† These statements have not been evaluated by the Food and Drug Administration. This product is not intended to diagnose, treat, cure, or prevent any disease.

Manufactured by Douglas Laboratories 600 Boyce Road Pittsburgh, PA 15205 800-245-4440 douglaslabs.com



3

You trust Douglas Laboratories. Your patients trust you.